

				Form App	oroved. C	).M.B. Nos. 20	070-0012 and 2070-0038			
U.S. ENVIRONMENTAL PROTECTION AGENCY						AGE	NCY USE ONLY			
PREMANUFACT NOTICE				E	Date of	f receipt:				
EPA	EOD NEW CI		MICAL SUBSTANCES							
	FOR NEW Co	HEMICAL		by US Mail:						
completed, Office of Polla	ution Prevention and Toxics ntrol Office (7407M)	Document	Pollution Pr	evention and Toxics ffice (7407M)	Submission Report Number					
form to: WASHINGTON	Constitution Ave NW N, D.C. 20460 pers: 202-564-8930/8940		TON, D.C.	ylvania Ave NW 20460	NICC	NICC110316460458156				
Total Number of Pages	User	Fee Paym	nent ID N	umber		TS Number				
320	2521M1RH					NP395P				
<ul> <li>Before you complete this form. (TSCA) Information Service b</li> <li>If a user fee has been remitted</li> </ul>	, you should read the "Instructions y calling 202-554-1404, or faxing 2	Manual for P 202-554-5603 ndicate in the	known to or Premanufact b). boxes above	ure Notification" (the Instruve the TS-user fee identific	ctions Man	ual is available f er you have gen	stimates if you do not have actual data. rom the Toxic Substances Control Act erated. Remember, your user fee ID number			
Part I – GENERAL INFOR	RMATION		TEST DA	ATA AND OTHER D	ATA					
You must provide the currently correct Chemical Abstracts (CA) Name of the new chemical substance, even if you claim the identity as confidential. You may authorize another person to submit chemical identity information for you, but your submission will not be complete and the review will not begin until EPA receives this information. A letter in support of your submission should reference your TS user fee identification number. For all Section 5 Notice submissions (paper or electronic) you must submit an original notice including all test data; if you claimed any information as confidential, an original sanitized copy must also be submitted.				n of all other data know the health and environ a, use, or disposal of th ted for data in the oper aries of data, must be a arly identify whether te composition of the teste	vn to or re mental eff le new cho n scientific submitted est data is ed materia should be	asonably asce fects on the m emical substant bliterature. Co if they do not on the substant al should be cle submitted ac	on or control and to provide a ertainable by you, if these data are anufacture, processing, distribution in nee. Standard literature citations may implete test data (written in English), appear in the open literature. You ince or on an analog. Also, the haracterized. Following are examples according to the requirements of R Part 720).			
Part II – HUMAN EXPOSU RELEASE	JRE AND ENVIRONMEN	TAL		Test Data (C	heck Bel	ow any inclu	ded in this notice)			
If there are several manufactu be described in Part II, section the sections as needed.			X   X	Environmental fate d	ata		Other Data			
Part III – LIST OF ATTAC	HMENTS		X	Health effects data			Risk Assessments			
For paper submissions, attach enough space to answer a que sheet with the corresponding s	estion fully. Label each contin	uation	X	Environmental effects Physical/Chemical located on the last	Propertie		Structure/activity relationships and chemical properties worksheet is			
attachments, any test data or information included in the not	other data and any optional		Test data not in the possession or control of the submitter							
OPTIONAL INFORMATIO				TYP	E OF NO	TICE (Check	Only One)			
You may include any informati evaluating the new substance been provided for you to describe	. On page 11 of this form, spa		X	PMN (Premanufactur	re Notice)					
recycling information you may "Binding" boxes are included t	hroughout this form for you to	)		SNUN (Significant Ne	ew Use N	otice)				
indicate your willingness to be make in this section, such as a equipment The intention is	use, production volume, prote	ctive	Щ	TMEA (Test Marketin	ng Exemp	tion Applicatio	on)			
accompany the development of Use Rules. Checking a "bindir	of consent orders or Significa	nt New		LVE (Low Volume Ex	xemption)	@ 40 CFR 72	23.50(c)(1)			
prohibit the submitter from late (except chemical identity) repo	orted in the form; however, in	the		LOREX (Low Releas	e/Low Ex	posure Exemp	otion) @ 40 CFR 723.50(c)(2)			
case of exemption applications certain information provided in submitter when the Agency ap	such notifications is binding	on the		LVE Modification						
especially if the production vol LVE.				LOREX Modification						
CONFIDENTIALITY CLAI				Mock Submission  Mark (X) if ponding	a Lottor	of Support				
You may claim any information assert a claim on the form, ma	ark (X) the confidential box ne	xt to	Ш	Mark (X) if pending						
the information that you claim an attachment, circle or brack confidential. If you claim inform	et the information you claim a mation in the notices as confic	s <u>lential,</u>		# of chemicals or p. 3).			ommunication # required, enter # on			
you must also provide a sanitize attachments). For additional in as confidential, read the Instru	nstructions on claiming inform		X	• •	nation in t	his notice is cl	aimed as confidential.			
,				<u>-</u>						



SANITIZED SUBMISSION

The public reporting and recordkeeping burden for this collection of information is estimated to average 93 hours per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed EPA Form 7710-25 to this address.

**CERTIFICATION** -- A printed copy of this signature page, with original signature, must be submitted with CD or paper submission.

I certify that to the best of my knowledge and belief:

- 1. The company named in Part I, section A, subsection 1a of this notice form intends to manufacture, import or process for a commercial purpose, other than in small quantities solely for research and development, the substance identified in Part I, Section B.
- 2. All information provided in this notice is complete and truthful as of the date of submission.
- 3. I am submitting with this notice all test data in my possession or control and a description of all other data known to or reasonably ascertainable by me as required by §720.50 of the Premanufacture Notification Rule.


#### **Additional Certification Statements:**

If you are submitting a PMN, Intermediate PMN, Consolidated PMN, or SNUN, check the following user fee

certification	on statement tha	at applies:		· ·		
X	The Company nar	med in Part I, Section A has remitted the fee of \$2500 specif	fied in 40 CFR 700	0.45(b), or		
		med in Part I, Section A has remitted the fee of \$1000 for an 40 CFR 700.45(b), or	Intermediate PM	N (defined @ 40 CFR	700.43) in	
	The Company nar accordance with 4	med in Part I Section A is a small business concern under 40 00 CFR 700.45(b).	0 CFR 700.43 and	I has remitted a fee of	\$100 in	
If you are submitting a <b>Low Volume Exemption (LVE)</b> application in accordance with 40 CFR 723.50(c)(1) or a <b>Low Release and Low Exposure Exemption (LoRex)</b> application in accordance with 40 CFR 723.50(c)(2), check the following certification statements:						
	The manufacturer submitting this notice intends to manufacture or import the new chemical substance for commercial purposes, other than in small quantities solely for research and development, under the terms of 40 CFR 723.50.					
	The manufacturer is familiar with the terms of this section and will comply with those terms; and					
	The new chemica	al substance for which the notice is submitted meets all appl	licable exemption	conditions.		
If this application is for an LVE in accordance with 40 CFR 723.50(c)(1), the manufacturer intends to commence manufacture of the exempted substance for commercial purposes within 1 year of the date of the expiration of the 30 day review period.						
anticipate	d facts regarding	ements you make in this notice should reflect you g the chemical substance described herein. Any ect to criminal penalty pursuant to 18 USC 1001	knowing and		Confidential	
Signature ar Authorized ( Signature R	Official (Original		Date		X	



Secti	ion A	A – SUBMITTER ID	ENTIFIC		I GENE	ERALI	NFORMATIO	N		
	10117	Ma	rk (X) the '	'Confiden		kt to any	subsection you c	laim as co	onfidential	
1a.		Person Submittir	ng Notice	e (in U.S	S.)		(loot)			Confidential
		uthorized Official	(first) XX	X			(last) XXX			_
Positio	on		XXX	(X						
Comp	any		XXX							
Mailin	g Add	dress (number & street)	XXX							
City		XXX			State		Postal Code	XX	X	
email		XXX								
b.		Agent (if Applica					4. 0			Confidential
Name	of Au	uthorized Official	(first) Not	applicab	le		(last)			
Positio	on									
Comp	any									]
Mailin	g Add	dress (number & street)								] ⊔
City					State		Postal Code			
e-mail					•	Teleph	one e area code)			=
C.		Joint Submitter (	if applic	able)		(morad	c area oode)			Confidential
If you	are s	ubmitting this notice as	part of a joi	nt submis	sion, mark (	(X)				
Name	of Au	uthorized Official	(first)				(last)		•	=
Position	on									1
Comp	any									1 _
Mailin	g Add	dress (number & street)								
City					State		Postal Code			
e-mail							phone ide area code)			
2.		Technical Contac	ct (in U.S	S.)		`	· ·			Confidential
	of Au	uthorized Official	(first) XX	X			(last) XXX			
Positio	on		XXX	-						1
Comp	any		xxx							1
Mailin	a Add	dress (number & street)	XXX							- X
City	J	xxx	7000		State		Postal Code	XX		-
					Otate	Teleph				
e-mail		XXX				(includ	e area code)	XX		0 51 51
3.		ou have had a prenotice notice and EPA assigne				9			Mark (X) if none	Confidential
	enter the number.									
	chemical substance covered by this notice, enter the			Confidential						
4.	4. exemption number assigned by EPA. If you previously submitted a PMN for this substance enter the PMN number									
	assigned by EPA (i.e. withdrawn or incomplete).  If you have submitted a notice of Bona fide intent to  Mark (X) if none					Confidential				
5.		nufacture or import for the his notice, enter the noti							X	
6.				,	Туре	of Noti	ce – Mark (X)			
1	Mar	nufacture Only			port Only		X	3.	Roth	
1.	Bine	ding Option		2. Bi	nding Optio	n		3.	Both	





11P4 PMN Page 4

	Part I – GEN	IERAL INFOR	RMATION Cor	ntinued				
Section B – CHEMICAL IDENTITY INFORMATION:  You must provide a currently correct Chemical Abstracts (CA) name of the substance based on current CA index nomenclature rules and conventions.								
Mark (X) the "Confidential" box next to any item you claim as confidential								
Complete either item 1 (Class 1 or 2 substances) or 2 (Polymers) as appropriate. Complete all other items.								
If another person will submit the name, company, and add			er Item 1 or 2), mark	(X) the box at the right.	Identify			
1. Class 1 or 2 chemical substances (for definitions of class 1 and class 2 substances, see the Instructions Manual)  Class 1 Class 1 Class 2 CB								
a. Class of substance - Mar	k (X)		X					
b. Chemical name (Currently correct Chemical Abstracts (CA) Name that is consistent with TSCA Inventory listings for similar substances. For Class 1 substances a CA Index Name must be provided. For Class 2 substances either a CA Index Name or CA Preferred Name must be provided, which ever is appropriate based on current CA index nomenclature rules and conventions).								
XXX								
CAS Registry Number (if	a number already exists for	the substance)	XXX					
	thod you used to develop or		ed chemical identity	information reported in	this notice: (check	one).		
Identification report obtain	y Expert Service - a copy of ned from the CAS Inventory red as an attachment to this	Expert	IES Order Number	Meth (Othe Source	er X			
Enter Attachment filename f	for Part I, Section B, 1. c.	,			•			
d. Molecular formula	XXX		<b>.</b>			X		
e. For a class 1 substance,	provide a complete and cor							
representative or partial of See Attachment 001 (001 Str	chemical structure diagram, ructure SAN.docx)	as complete as ca	n be known, if one o	can be reasonably asce	rtained.			



N2011P4A PMN Page 4a

For a class 2 substance - (1) List the immediate precursor substances with their respective CAS Registry Numbers. (2) Describe the nature of the reaction or process. (3) Indicate the range of composition and the typical composition (where appropriate).	Confidential
e. (1) List the immediate precursor substance names with their respective CAS Registry Numbers.	
N/A imported substance	
Enter Attachment filename for Part I, Section B, 1. e. (1)	
e. (2) Describe the nature of the reaction or process.	
Enter Attachment filename for Part I, Section B, 1. e. (2)	
e. (3) Indicate the range of composition and the typical composition (where appropriate).	
Enter Attachment filename for Part I, Section B, 1. e. (3)	



011P5 PMN Page 5

Part I GENERAL INFORMATION - Continued									
Section B CHEMICAL IDENTITY INFORMATION Continued									
2. Polymers (For a definition of polymer, see the Instructions Manual.)  a. Indicate the number-average weight of the lowest molecular weight composition of the polymer you intend to manufacture.								ntial	
Indicate maximum weight percent of below 500 and below 1,000 absolute	f low molecular weight spec	ies (not inclu							
De	escribe the methods of meas	surement or t	he basis for y	our es	timates:				
GPC Othe	r (Specify Below)								
Specify Other:									
(i) lowest number average molecular weight: (ii) maximum weight % below 500 molecular weight: (iii) maximum weight % below 1000 weight: (iii) maximum weight % below 1000 weight:						00 molecu	lar		
Enter Attachment filename for Pa									
<ul> <li>b. You must make separate confidentiality claims for monomer or other reactant identity, composition information, and residual information. Mark (X) the "Confidential" box next to any item you claim as confidential</li> <li>(1) - Provide the specific chemical name and CAS Registry Number (if a number exists) of each monomer or other reactant used in the manufacture of the polymer.</li> <li>(2) - Mark (X) this column if entry in column (1) is confidential.</li> <li>(3) - Indicate the typical weight percent of each monomer or other reactant in the polymer.</li> <li>(4) - Choose "yes" from drop down menu if you want a monomer or other reactant used at two weight percent or less to be listed as part of the polymer description on the TSCA Chemical Substance Inventory.</li> <li>(5) - Mark (X) this column if entries in columns (3) and (4) are confidential.</li> <li>(6) - Indicate the maximum weight percent of each monomer or other reactant that may be present as a residual in the polymer as manufactured for commercial purposes.</li> <li>(7) - Mark (X) this column if entry in column (6) is confidential.</li> </ul>									
Monomer or other r	reactant specific chemical na	ame		CBI ( <b>2</b> )	Typical composition (3)	Include in identity (4)	CBI ( <b>5</b> )	Max residual ( <b>6</b> )	CBI ( <b>7</b> )
CAS Registry Number (1)									
CAS Registry Number (1)									
CAS Registry Number (1)									
CAS Registry Number (1)		-							
CAS Registry Number (1)									
Mark (X) this box if the data continues of	on the next page.					· · · · · · · · · · · · · · · · · · ·			

N2011P5A PMN Page 5a

SANITIZED SUBMISSION

<ul> <li>c. Please identify which method you used to develop or obtain (check one).</li> </ul>	the specified che	mical identity information reported in this notice	CBI
Method 1 (CAS Inventory Expert Service			
- a copy of the identification report obtained	IES Order Number	Method 2	
from CAS Inventory Expert Service must be submitted as an attachment to this notice)	Number	(other source)	
Enter Attachment filename for Part I, Section B, 2. c.		<u> </u>	
d. The currently correct Chemical Abstracts (CA) name for the	polymer that is c	onsistent with TSCA Inventory listings for similar	
polymers.			
CAS Registry Number (if a number already exists for the	substance)		
Provide a correct representative or partial chemical structu	re diagram, as co	mplete as can be known, if one can be reasonably	
ascertained.			
Enter Attachment filonome for Part I. Section P. C.			
Enter Attachment filename for Part I, Section B, 2. e	•		




			SANITIZED SUE	BMISSION			
PMN2011P6 PMN Page 6 Part I GENERAL INFORMATION Continued							
Section B CHEMICAL IDENTITY INFORMATION Continued	IION CON	unuea					
3. Impurities							
<ul> <li>(a) - Identify each impurity that may be reasonably anticipated to be present purpose. Provide the CAS Registry Number if available. If there are unice</li> <li>(b) - Estimate the maximum weight % of each impurity. If there are unidentification.</li> </ul>	dentified impurities	, enter "unidentified."		rcial			
Impurity (a)	, , , , , , , ,	CAS Registry Number (a)	Maximum Percent % (b)	Confi- dential			
XXX		XXX	XXX	Х			
xxx		XXX	XXX	Х			
Mark (X) this box if the data continues on the next page.							
Enter Attachment filename for Part I, Section B, 3.							
Synonyms - Enter any chemical synonyms for the new chemical identified in subs     XXX	ection 1 or 2.			X			
Enter Attachment filename for Part I, Section B, 4.							
5. Trade identification - List trade names for the new chemical substance identified i 2PH-EOP	n subsection 1 or 2	2.					
Enter Attachment filename for Part I, Section B, 5.							
6. Generic chemical name - If you claim chemical identify as confidential, you must provide specific chemical identity of the new chemical substance Substance Inventory, 1985 Edition, Appendix B for guida	to the maximum e	extent possible. Refer	nce that reveals r to the TSCA Ch	the nemical			
Phosphoric acid, diaryl alkyl ester							
Enter Attachment filename for Part I, Section B, 6.							
Byproducts - Describe any byproducts resulting from the manufacture, processing CAS Registry Number if available.	g, use, or disposal			ride the			
Byproduct (1)		CAS Re	gistry Number (2)	Confi- dential			

Mark (X) this box if the data continues on the next page.



PMN2011P7			I Page									
Part I GE	NER	RAL INI	FORM	ATIO	N Co	ntin	ued					
Section C PRODUCTION, IMPORT, AND	USE	INFORM	IATION									
The information on this page refers to consolidated	chemic	al numbe	r(s):	1	2		3	4		5	6	
Mark (X) the "Con												
<ol> <li>Production volume Estimate the maximum prod volume for any consecutive 12-month period during For a Low Volume Exemption application, if you ch volume and mark (x) in the binding box. If granted,</li> </ol>	g the firs	st three yea	ars of prod notice re	duction. viewed a	Estimates	should	be on 1	100% ne	w chem	ical sub	stance	basis.
Maximum first 12-month production (kg/yr) (100% new chemical substance basis)	Maximum 12-month production (kg/yr) (100% new chemical substance basis)  Confidential  Binding Option  Mark (X)											
xxx xxx X												
Enter Attachment filename for Part I, Section C, 1.												
<ul> <li>2. Use Information You must make separate confidentiality claims for the description of the category of use, the percent of production volume devoted to each category, the formulation of the new substance, and other use information. Mark (X) the "Confidential" Box next to any item you claim as confidential.</li> <li>a. (1)Describe each intended category of use of the new chemical substance by function and application.</li> <li>(2)Mark (X) this column if entry column (1) is confidential business information (CBI).</li> <li>(3)Indicate your willingness to have the information provided in column (1) binding.</li> <li>(4)Estimate the percent of total production for the first three years devoted to each category of use.</li> <li>(5)Mark (X) this column if entry in column (4) is confidential business information (CBI).</li> <li>(6)Estimate the percent of the new substance as formulated in mixtures, suspensions, emulsions, solutions, or gels as manufactured for commercial purposes at sites under your control associated with each category of use.</li> <li>(7)Mark (X) this column if entry in column (6) is confidential business information (CBI).</li> <li>(8)Indicate % of product volume expected for the listed "use" sectors. Mark more than one box if appropriate. Mark (X) to indicate your willingness to have the use type provided in (8) binding.</li> <li>(9)Mark (X) this column if entry(ies) in column (8) is (are) confidential business information (CBI).</li> </ul>												
Category of use (1)  Binding Prod % in % of substance expected per use						СВІ						
finishing polyester fibers)	(2)	Mark (X) (3)	% ( <b>4</b> )	(5)	ulation ( <b>6</b> )	(7)	Site- limited	Con- sumer*	Industrial	Com- mercial	Binding Option	(9)
XXX	X		xxx	X	XXX	X	xxx	xxx	xxx	xxx		X
* If you have identified a "consumer" use, please prov consumer products. In addition include estimates of the the chemical reactions by which this substance loses	ne conc	entration o	of the new	chemica	al substand							
Mark (X) this box if the data continues on the next page.		•										
b. Generic use description lf you claim any category Read the Instruction Man						ntial, ei	nter a g	eneric d	escriptio	on of the	at categ	ory.
Enter Attachment filename for Part I, Section (	C, 2. b.								СВ	SI.		1
3. Hazard Information Include in the notice a copy o data sheet, or other information which will be provided regarding protective equipment or practices for the sa hazard information you include.  Mark (X) this box if you attach hazard information.	f reasor d to any ife hand	person wl	ho is reaso	onably li	kely to be	expose	d to this	s substa	ial safet nce	у	Binding Mark	





D11P8 PMN Page 8

Part II HUMAN EXPOSURE AND ENVIRONMENTAL RELEASE						
Section A INDUSTRIAL	SITES C	ONTROLLED BY THE SUBI	MITTER		ne "Confidential" bo ou claim as confide	
		consolidated chemical number(s		3	4 5	<b>6</b>
you control. Importers do not	have to con	ufacture, processing, or use open plete this section for operations I processing or use operations a	s outside the U.S.; however	er, you ma	y still have repor	ting
	entity of the	e site at which the operation will	occur.			dential
Name	XXX					
Site address (number and street)	XXX			1		X
City	XXX		County	XXX		
State			ZIP code	xxx		
sites on a continuation sheet, operations, include all the info	and if any o	han one site, enter the number of of the sites have significantly diff quested in this section for those	ferent production rates or	onal		X
Mark (X) this box if the	data continue	es on the next page.				
b. Type Mark (X)	ufacturing	Processing	Us	e [		X
c. Amount and Duration	Complete	e 1 or 2 as appropriate				Confi- dential
1. Batch		Maximum kg/batch (100% new chemical substance)	Hours/batch	Batches/year	X	
		XXX	XXX		XXX	
2. Continuous		Maximum kg/day (100% new chemical substance)	Hours/day		Days/year	
d. Process description			Mark (X) to indicate your w have your process descript			
<ol> <li>Diagram the major unit operation steps and chemical conversions. Include interim storage and transport containers (specify- e.g. 5 gallor pails, 55 gallon drum, rail car, tank truck, etc.).</li> <li>Provide the identity, the approximate weight (by kg/day or kg/batch on a 100% new chemical substance basis), and entry point of all star materials and feedstocks (including reactants, solvents, catalysts, etc.), and of all products, recycle streams, and wastes. Include cleanin chemicals (note frequency if not used daily or per batch.).</li> <li>Identify by number the points of release, including small or intermittent releases, to the environment of the new chemical substance. If releasing to two media at the same step, assign a second release number for the second medium.</li> </ol>					of all starting e cleaning	
		· -				X
XXX						



Discussion of the major unit expection stone				
Diagram of the major unit operation steps.				
See Attachment 002 (002 Process Flow Diagram-SAN.docx)				
Enter Attachment filename for Part II, Section A, 1. d.	002 Process Flow Diagram-SAN.docx			



PWIN Page	<del>)</del> 9
Part II HUMAN EXPOSURE AND ENVIRON	NMENTAL RELEASE Continued
Section A INDUSTRIAL SITES CONTROLLED BY THE SUBM	MITTER Continued
The information on pages 9 and 9a refer to consolidated chemical number(s):	: 1 2 3 4 5 6

- 2. Occupational Exposure -- You must make separate confidentiality claims for the description of worker activity, physical form of the new chemical substance, number of workers exposed, and duration of activity. Mark (X) the "Confidential" box next to any item you claim as confidential.
  - (1) -- Describe the activities (i.e. bag dumping, tote filling, unloading drums, sampling, cleaning, etc.) in which workers may be exposed to the substance.
  - (2) -- Mark (X) this column if entry in column (1) is confidential business information (CBI).
  - (3) -- Describe any protective equipment and engineering controls used to protect workers.
  - (4) and (6) -- Indicate your willingness to have the information provided in column (3) or (5) binding.
  - (5) -- Indicate the physical form(s) of the new chemical substance (e.g., solid: crystal, granule, powder, or dust) and % new chemical substance (if part of a mixture) at the time of exposure.
  - (7) -- Mark (X) this column if entries in columns (3) and (5) are confidential business information (CBI).
  - (8) -- Estimate the maximum number of workers involved in each activity for all sites combined.
  - (9) -- Mark (X) this column if entry in column (8) is confidential business information (CBI).
  - (10) and (11) -- Estimate the maximum duration of the activity for any worker in hours per day and days per year.
  - (12) -- Mark (X) this column if entries in columns (10) and (11) are confidential business information (CBI).

Worker activity	СВІ	Protective Equipment/	Binding Option	Physical form(s)	Binding Option	СВІ	# of Workers	СВІ	BI Maximum Durat		СВІ
drums) (1)	(2)	Engineering Controls (3)	Mark (X) (4)	& % new substance (5)	Mark (X) (6)	(7)	Exposed (8)	(9)	Hrs/Day (10)	Days/Yr (11)	(12)
XXX	X	xxx		xxx		Х	XXX	X	XXX	XXX	X
XXX	Х	xxx		xxx		Х	XXX	Х	XXX	XXX	Х
xxx	Х	xxx		XXX		Х	XXX	Х	XXX	XXX	X
xxx	Х	xxx		xxx		Х	XXX	X	XXX	XXX	X
Mark (X) this box	if the	data continues on the next page									
Enter Attachment	filena	ame for Part II, Section A on the b	oottom of p	page 9a.							



#### PMN Page 9a

- **3. Environmental Release and Disposal** -- You must make separate confidentiality claims for the release number and the amount of the new chemical substance released and other release and disposal information. Mark (X) the "Confidential" box next to each item you claim as confidential.
  - (1) -- Enter the number of each release point identified in the process description, part II, section A, subsection 1d(3).
  - (2) -- Estimate the amount of the new substance released (a) directly to the environment or (b) into control technology (in kg/day or kg/batch).
  - (3) -- Mark (X) this column if entries in columns (1) and (2) are confidential business information (CBI).
  - (4) -- Identify the media (stack air, fugitive air (optional-see Instruction Manual), surface water, on-sité or off-site land or incineration, POTW, or other (specify)) to which the new substance will be released from that release point.
  - (5) -- a. Describe control technology, if any, and control efficiency that will be used to limit the release of the new substance to the environment. For releases disposed of on land, characterize the disposal method and state whether it is approved for disposal of RCRA hazardous waste. On a continuation sheet, for each site describe any additional disposal methods that will be used and whether the waste is subject to secondary or tertiary on-site treatment. b. Estimate the amount released to the environment after control technology (in kg/day).
  - (6) -- Mark (X) this column if entries in columns (4) and (5) are confidential business information (CBI).
  - (7) -- Identify the destination(s) of releases to water. Please supply NPDES (National Pollutant Discharge Elimination System) numbers for direct discharges or NPDES numbers of the POTW (Publicly Owned Treatment Works). Mark (X) if the POTW name or NPDES # is confidential business information (CBI).

Release Number	Amount Substance	of New Released	СВІ	Medium of release e.g. Stack air	Control technology and efficiency (you may wish to optionally attach efficiency data)				nay wish to a)	СВІ
(1)	(2a)	(2b)	(3)	(4)		(5a)		Binding Mark (X)	(5b)	(6)
XXX	xxx	XXX	Х		XXX				xxx	X
XXX	XXX	XXX	Х		XXX				XXX	Х
XXX	xxx	xxx	Х		xxx				XXX	Х
				on the next page.						
<b>(7)</b> Mark	(X) the des	stination(s)		ses to water.				NPDES	S#	CBI
X	POTWpro	ovide	XXX				XXX			X
	Navigable waterway- - provide name(s)									
	OtherSpe	cify								
	Enter Attachm	ent filename	for Part II,	Section A.						

SANITIZED SUBMISSION

Part II HUMAN EXPOSURE AND ENVIRONM		AL DEI	EAC	- /	Conti	nuo	۸			
Section B INDUSTRIAL SITES CONTROLLED BY OTHERS		AL NEI	LEAS		JOHU	nue	u			
The information on pages 10 and 10a refer to consolidated chemical number(s):		1	2		3		4	5		6
Complete section B for typical processing or use operations involving the new chemica complete this section for operations outside the U.S.; however, you must report any processing or use operation involving more than one site describe the typical operation common to these sites. Identify additional confidential.  1(a). Operation Description To claim information in this section as confidential.	ocessir the nev onal si	ance at s ng or use w chemic tes on a	sites yo e activiti cal subs continu	es aft stance ation	not cor er impe e. If the sheet.	ort. S sam	Importo ee the e oper	ers do not Instruction ation is pe	ns Ma rform	to inual. ed at
<ul> <li>(1) Diagram the major unit operation steps and chemical conversions, includir pails, 55 gallon drums, rail cars, tank trucks, etc). On the diagram, identify</li> <li>(2) Either in the diagram or in the text field 1(b) below, provide the identity, the chemical substance basis), and entry point of all feedstocks (including rea streams, and wastes. Include cleaning chemicals (note frequency if not us</li> <li>(3) Either in the diagram or in the text field 1(b) below, identify by number the environment of the new chemical substance.</li> <li>(4) Please enter the # of sites (remember to identify the locations of these site)</li> </ul>	by lette e approctants, ed dail points	er and b eximate v solvents y or per of releas	riefly de weight ( s and ca batch). se, inclu	escribe by kg atalys uding	e each /day oi ts, etc)	work r kg/b and	er acti atch, c all pro	vity. on an 100% ducts, recy	% new /cle	,
	Nun	nber of	Sites				Cor	nfidential		X
									Γ	V
1(b). (Optional) This space is for a text description to clarify the diagram above.  XXX							Cor	ıfidential	L	XI .
Enter Attachment filename for Part II, Section B on the bottom of page 10a.									Γ	<u> </u>



# **Continuation Sheet**

ID	P10SB1(a)(4)1	Field	Part II, Section B, 1(a)(4). Operation Site Locations
XXX			



N2011P10A PMN Page 10a

#### 2. Worker Exposure/Environmental Release

- (1) -- From the diagram above, provide the letter for each worker activity. Complete 2-8 for each worker activity described.
- (2) -- Estimate the number of workers exposed for all sites combined.
- (4) -- Estimate the typical duration of exposure per worker in (a) hours per day and (b) days per year.
- (6) -- Describe physical form of exposure and % new chemical substance (if in mixture), and any protective equipment and engineering controls, if any, used to protect workers.
- (7) -- Estimate the percent of the new substance as formulated when packaged or used as a final product.
- (9) -- From the process diagram above, enter the number of each release point. Complete 9-13 for each release point identified.
- (10) -- Estimate the amount of the new substance released (a) directly to the environment or (b) into control technology to the environment (in kg/day or kg/batch).
- (12) -- Describe media of release i.e. stack air, fugitive air (optional-see Instructions Manual), surface water, on-site or off-site land or incineration, POTW, or other (specify) and control technology, if any, that will be used to limit the release of the new substance to the environment.
- (14) -- Identify byproducts which may result from the operation.
  - (3), (5), (8), (11), (13) and (15) -- Mark (X) this column if any of the proceeding entries are confidential business information (CBI).

Letter of Activity	# of Workers Exposed	СВІ		ion of sure	СВІ	Protecti	ive Equip./Engineering Controls/Physical Form	% new substance	% in Formulation	СВІ	
(1)	(2)	(3)	(4a)	(4b)	(5)	(6)		(6)	(7)	(8)	
Release Number			Substan	ce Releas	sed	СВІ		Media of Release & Control Technology			
(9)	(10	0a)		(10b)		(11)	(12)			(13)	
	Mark (X) this	box if th	ne data co	ntinues or	the ne	kt page.					
<b>(14)</b> Byp	roducts:								(15) CBI		
<u> </u>	Enter Attach	ment file	name for	Part II, Se	ction B.						

SANITIZED SUBMISSION

#### OPTIONAL POLLUTION PREVENTION INFORMATION

To claim information in the following section as confidential, bracket (e.g. {}) the specific information that you claim as confidential.

In this section you may provide information not reported elsewhere in this form regarding your efforts to reduce or minimize potential risks associated with activities surrounding manufacturing, processing, use and disposal of the PMN substance. Please include new information pertinent to pollution prevention, including source reduction, recycling activities and safer processes or products available due to the new chemical substance. Source reduction includes the reduction in the amount or toxicity of chemical wastes by technological modification, process and procedure modification, product reformulation, and/or raw materials substitution. Recycling refers to the reclamation of useful chemical components from wastes that would otherwise be treated or released as air emissions or water discharges, or land disposal. Quantitative or qualitative descriptions of pollution prevention, source reduction and recycling should emphasize potential risk reduction in addition to compliance with existing regulatory requirements. The EPA is interested in the information to assess overall net reductions in toxicity or environmental releases and exposures, not the shifting of risks to other media (e.g., air to water) or nonenvironmental areas (e.g., occupational or consumer exposure). To the extent known, information about the technology being replaced will assist EPA in its relative risk determination. In addition, information on the relative cost or performance characteristics of the PMN substance to potential alternatives may be provided.

Describe the expected net benefits, such as

- (1) an overall reduction in risk to human health or the environment;
- (2) a reduction in the generation of waste materials through recycling, source reduction or other means;
- (3) a reduction in the use of hazardous starting materials, reagents, or feedstocks;
- (4) a reduction in potential toxicity, human exposure and/or environmental release; or
- (5) the extent to which the new chemical substance may be a substitute for an existing substance that poses a greater overall risk to human health or the environment.

health or the environment.		
Information provided in this section will be taken into consideration durin and Pollution Prevention Guidance manual for guidance and examples.	g the review of this substance. See PMN Instructions Manual	
not applicable		
Enter Attachment filename for Pollution Prevention Page 11		



2011P12 **PMN Page 12** 

#### Part III -- LIST OF ATTACHMENTS

Attach continuation sheets for sections of the form, test data and other data (including physical/chemical properties and structure/activity information), and optional information after this page. Clearly identify the attachment and the section of the form to which it relates, if appropriate. Number consecutively the pages of any paper attachments. In the Number of Pages column below, enter the inclusive page numbers of each attachment for paper submissions or enter the total number of pages for each attachment for electronic submissions. Electronic attachments can be identified by filename.

Mark (X) the "Confidential" box next to any attachment name or filename you claim as confidential. Read the Instructions Manual for guidance on how to claim any information in an attachment as confidential. You must include with the sanitized copy of the

notice form a sanitized version of any attachment in which you claim information as confidential.

#	Attachment Name	Attachment Filename	Number of Pages	Associated PMN Section Number	СВ
001	Chemical structure-SAN	001 Structure SAN.docx	1	Pt.I, Sec.B, 1e.	
002	Process FLow Diagram-SAN	002 Process Flow Diagram- SAN.docx	1	Pt.2, Sec.A, 1d.	
003	Particle Size Information-SAN	003 Particle Size-SAN.docx	1		
004	Customer List-SAN	004 Customer List-SAN.docx	1		
005	IR Spectrum SAN	005 IR Spectrum SAN.pdf	1		
006	MSDS SAN	006 MSDS SAN.pdf	3		
007	Fish BCF SAN	007 Fish BCF SAN.pdf	26		
800	Ames Test SAN	008 AMES test SAN.pdf	29		
009	Chromosome Aberration SAN	009 Chromosome Aberration SAN.pdf	30		
010	28 Oral Rat SAN	010 28 Day Oral Rat SAN.pdf	47		
011	Biodegradation SAN	011 Biodegradation SAN.pdf	30		
012	Fish Toxicity SAN	012 Fish Toxicity SAN.pdf	39		
013	Daphnia Toxicity SAN	013 Daphnia toxicity SAN.pdf	36		
014	Alga Toxicity SAN	014 Alga toxicity SAN.pdf	42		



PMN2011P13

#### **PMN Page 13**

PHYSICAL AND CHEMICAL PROPERTIES WORKSHEET											
The information on this				<u> </u>	2	3	4	5	6		
To assist EPA's review of photice. Identify the property is claimed as confic provided. These measured promulations should be so no you do so, as it will simplify to supplement to your submiss	measured, the value of lential. Give the attac properties should be footed (% PMN substan the review and ensure	of the prophenent number the near the near the near the	perty, the units mber (found o at (100% pure) You are not re fidential inform	s in which the p n page 12) in c o chemical subsequired to sub- nation is proper titute for submi	property is r column (b). stance. Pro mit this wor ly protected	neasured (as The physical perties that a ksheet; howe d. You should	s necessar I state of the are measur ever, EPA	ry), and we ne neat si red for mi strongly i	hether or ubstance ixtures or recommer	not the should be	
Property (a)		Unit	Mark X if Provided	Attachment Number (b)		Value (c)		or E	easured Estimate // or E)	CBI Mark (X) (d)	
Physical state of neat sub	ostance				(solid)	(liquid)	(gas)	Mea	asured		
Vapor Pressure @ Temperature		°C					Torr				
Density/relative density					1.08		g/cm3	Mea	asured		
Solubility											
@ Temperature		°C					g/L				
Solvent											
Solubility in Water @ Temperature		°C					g/L				
Melting Temperature					79		°C	Mea	asured		
Boiling / Sublimation temperature @		Torr					°C				
Spectra								Mea	asured		
Dissociation constant											
Octanol / water partition o	coefficient										
Henry's Law constant											
Volatilization from water											
Volatilization from soil											
pH@ concentration											
Flammability											
Explodability											
Adsorption / Coefficient											
Particle Size Distribution											
Other – Specify											

Attachment Number 001

Attachment Name
Chemical structure-SAN

Associated PMN Section Number Pt.I, Sec.B, 1e.

Does not contain CBI

Attachment Number 002

Attachment Name
Process FLow Diagram-SAN

Associated PMN Section Number Pt.2, Sec.A, 1d.

Does not contain CBI

Attachment Number 003

Attachment Name
Particle Size Information-SAN

Associated PMN Section Number N/A

Does not contain CBI

Attachment Number 004

Attachment Name
Customer List-SAN

Associated PMN Section Number N/A

Does not contain CBI

Attachment Number 005

Attachment Name IR Spectrum SAN

Associated PMN Section Number N/A

Does not contain CBI

#### Attachment Number 006

Attachment Name
MSDS SAN

Associated PMN Section Number N/A

Does not contain CBI

Attachment Number 007

Attachment Name Fish BCF SAN

Associated PMN Section Number N/A

Does not contain CBI

Attachment Number 008

Attachment Name
Ames Test SAN

Associated PMN Section Number N/A

Does not contain CBI

Attachment Number 009

Attachment Name
Chromosome Aberration SAN

Associated PMN Section Number N/A

Does not contain CBI

Attachment Number 010

Attachment Name 28 Oral Rat SAN

Associated PMN Section Number N/A

Does not contain CBI

Attachment Number 011

Attachment Name Biodegradation SAN

Associated PMN Section Number N/A

Does not contain CBI

#### Attachment Number 012

Attachment Name Fish Toxicity SAN

Associated PMN Section Number N/A

Does not contain CBI

Attachment Number 013

Attachment Name Daphnia Toxicity SAN

Associated PMN Section Number N/A

Does not contain CBI

#### Attachment Number 014

Attachment Name
Alga Toxicity SAN

Associated PMN Section Number N/A

Does not contain CBI

#### **Focus Report**

New Chemicals Program PMN Number: P-11-0268

Focus Date: 04/10/2011 11:00:00 PM Report Status: Completed Consolidated Set: Focus Chair: Geraldine Hilton Stephen Wieroniey Contractor: I. Notice Information Submitter: CAS Number: Chemical Name: Phosphoric acid, 2-phenoxyethyl diphenyl ester Use: Flame retardant analogs are flame retardants. Other Uses: No other uses found for the PMN material. PV-Max: Kg/yr Import: X Manufacture: SAT Results (1) **Health Rating: Eco Rating: Comments:** Occupational: 2-3B **Non-Occupational: Environmental:** (1) **PBT:** 2 1 **Comments:** III. OTHER FACTORS Categories: Health Chemical Category: Ecotox Category: phosphate esters Related Cases/Regulatory History: Health related Cases: Ecotox Related Cases: Analogs: Regulatory History: **MSDS/Label Information:** MSDS: Label: No General Equipment: Use impervious gloves and safety glasses or goggles. Respirator: Use of respirators identified but no specific recommendations made about selecting appropriate respiratory PPE. Health Effects: MSDS states "no hazard in normal industrial use" for potential health effects through inhalation, eye, skin, and ingestion. TLV/PEL (PMN or raw - None Established material): **Exposure Based Information:** Exposure Based Review: Exposure Based Review (Health): Exposure Based Review (Eco): N Exposure Based (Occupational): No Exposure Based Review Exposure Based (Environmental):

#### IV. Summary of SAT Assessment

Fate:

(Non Occupatuional):

**Fate Summary:** P-11-0268

FATE:

Solid with MP = 79 C (M) log Kow = 4.67 (E) S = 1.33 mg/L at 25 C (E) VP < 1.0E-6 torr at 25 C (E)

BP > 400 C (E)

H < 1.00E-8 (E)

 $\log \text{Koc} = 4.13 (E)$ 

log Fish BCF = 1.92 (E)

 $\log \text{ Fish BAF} = 1.85 \text{ (E)}$ 

POTW removal (%) = 90 via sorption and biodeg; Japanese Biodegradability Test: 0%

(BOD)/28d. Japanese Bioconcentration Test: 192 (low), 222 (high)/60d.

Time for complete ultimate aerobic biodeg ≥ mo

Sorption to soils/sediments = v.strong

PBT Potential: P2B1

\*CEB FATE: Migration to ground water = negl

#### Health:

**Health Summary:** 

Not absorbed through the skin as the neat material moderate absorption through the skin if in solution (pchem), moderate absorption from the lung and GI tract (pchem). Concern for

mutagenicity based on submitted test data.

(-) Salmonella with and without activation; (-) E. coli with and without activation; (+) for **Test Data:** chromosome aberrations in CHL cells with and (-) without activation; rat 28-day oral NOEL =

1000 mg/kg (highest dose tested)

#### **Ecotox:**

#### **Ecotox Values:**

Fish 96-h LC50: 1.2(P)Daphnid 48-h LC50: 2.1(P)Green algal 96-h EC50: 2.7(P)Fish Chronic Value: 0.10(P)Daphnid ChV: 0.38(P)Algal ChV: 0.96(P)

Ecotox values comments: Predictions based on SARs for phosphate esters; Ecotox Chemical Class: phosphate triester; MW ; solid with mp = 79 C (M);  $\log \text{Kow} = 4.67 \text{ (EPI)}$ ; S = 1.33 mg/L at 20 C (P); pH7; DW hardness < 150.0 mg/L as CaCO3; ECs based on 100% active ingredients and mean measured concentrations with DW TOC < 2.0 mg TOC/L;

Ecotoxicity Test Data Results for P-11-0268:

Three acute ecotoxicity studies were conducted on this PMN (P-11-0268) in 2009 by

for

(sponsor) with fish (Medaka (Oryzias latipes)), aquatic invertebrates (water fleas (Daphnia magna)), and aquatic plants (green algae (Pseudokirchneriella subcapitata)). The PMN is a white powder at room temperature with a purity of an estimated water solubility of 1.33 mg/L, an estimated vapor pressure of <1E-6 mmHg at 25°C, and an estimated log Kow of 4.67. Of the three tests, no study utilized OECD or OCSPP testing guidelines. All three tests were conducted as limit tests. The testing laboratory used their estimated water solubility limit (which was different for all three tests because of the different test medium) as the one test concentration in the respective test. Unfortunately, the testing laboratory did not provide adequate information to support their water solubility limits (per Justin Roberts in EPA's Industrial Chemistry Branch). As a result, the three submitted tests are considered invalid. The chronic and acute concern concentrations for P-11-0268 are 10 ppb and 240 ppb, respectively, based on the ECOSAR-based predictions.

Ecotox Study Reviewer: J. Gallagher QA/QC: T. Wright 07 April 2011

#### **Ecotox Factors:**

Assessment Factor: 10 Concern Concentration:

# V. Summary of Exposures/Releases Engineering Summary: P-11-0268

Exposures/Releases	Release	Release	Release
Scenario			
Sites			
Media			
Descriptor A	Output 2	Output 2	Output 2
Quantity A (kg/site/day)			
Frequency A (day/year)			
Descriptor B			
Quantity B (kg/site/day)			
Frequency B (day/year)			
From			
Workers			
Exposure Type			

Engineering Summary:	Release	Release	Release
Exposures/Releases			
Scenario			
Sites			
Media			
Quantity A (kg/site/day)			
Frequency A (day/year)			
Descriptor B			
Quantity B (kg/site/day)			
Frequency B (day/year)			
From			
Workers			
Exposure Type			

# V. Summary of Exposures/Releases Engineering Summary: P-11-0268

Exposures/Releases	Exposure	Exposure	Exposure
Scenario			
Sites			
Media			
Descriptor A	High End	Upper Bound	High End
Quantity A (kg/site/day)			
Frequency A (day/year)			
Descriptor B			
Quantity B (kg/site/day)			
Frequency B (day/year)			
From			
Workers			
Exposure Type	Solid	Particulate	Liquid

#### VI. Focus Decision and Rationale

**Regulatory Actions** 

Regulatory Decision: PMN Standard Review Decision Date: 04/10/2011

Type of Decision:

Rationale:

P-11-0268 was placed into standard review for ecotoxicity and fate concerns. The standard review will determine the appropriate chemical category. A schedule, T.I. and an EETD team is required. Human health concerns were low-moderate. The submitter should update their MSDS to include health toxicity data. Ecotoxicity concerns were moderate and risks to the environment were high based on exceedences of both the chronic and acute COC. During processing operations the SWCs of 427 ppb and 1,394 ppb exceeded the acute COC of 240 ppb and the chronic COC of 10 ppb was exceeded days/yr (SWC 427 ppb). During use operations the SWCs of 405 ppb, 351 ppb, and 336 ppb exceeded the 240 ppb acute COC, During use operations the 10 ppb COC was exceed days/yr (SWC: 405 ppb), days/yr (SWC: 124 ppb), days/yr (SWC: 351 ppb), days/yr (SWC: 281 ppb), days/yr (SWC: 86 ppb) and days/yr (SWC: 224 ppb). Ecotoxicity testing will be the acute base set including: a fish acute toxicity test, freshwater and marine (Harmonized test guideline 850.1075), an aquatic invertebrate acute toxicity test, freshwater daphnids (Harmonized test guideline 850.1010), and an algal toxicity test, tiers I and II (Harmonized test guideline 850.5400). Fish and daphnia studies should be completed using the flow through method and the static method for algae. The special considerations for conducting aquatic laboratory studies (Harmonized test guideline 850.1000) should also be followed. Fate testing will be Zahn-Wellens test (Harmonized test guideline 835.3220 or OECD 302B).

Summary of exposures and releases



Fate Releases to Water (65.00% Removal)

SWC: 1,394 ppb

DW: LADD: 1.36E-04 mg/kg/day; ADR: 6.94E-02 mg/kg/day FI: LADD: 4.86E-05 mg/kg/day; ADR: 9.54E-02 mg/kg/day

Fate Releases to Water (65.00% Removal)

SWC: 427 ppb


DW: LADD: 1.00E-04 mg/kg/day; ADR: 2.13E-02 mg/kg/day FI: LADD: 3.58E-05 mg/kg/day; ADR: 2.92E-02 mg/kg/day

>COC (10.00 ppb) days/yr

Fate Releases to Air:

Stack Air: ADR: 4 mg/kg/day
Fugitive Air: ADR: mg/kg/day

Use:



Fate Releases to Water (65.00% Removal)

SWC: 405 ppb

DW: LADD: 7.48E-05 mg/kg/day; ADR: 1.97E-02 mg/kg/day FI: LADD: 2.67E-05 mg/kg/day; ADR: 1.14E-02 mg/kg/day

>COC (10.00 ppb) days/yr

Fate Releases to Water (65.00% Removal)

SWC: 124 ppb

DW: LADD: 1.60E-05 mg/kg/day; ADR: 6.31E-03 mg/kg/day FI: LADD: 5.71E-06 mg/kg/day; ADR: 2.44E-03 mg/kg/day

>COC (10.00 ppb) days/yr

Fate Releases to Water (65.00%)

SWC: 351 ppb

DW: LADD: 5.29E-05 mg/kg/day; ADR: 1.72E-02 mg/kg/day FI: LADD: 1.89E-05 mg/kg/day; ADR: 8.05E-03 mg/kg/day

>COC (10.00 ppb) days/yr

Fate Releases to Water (65.00% Removal)

SWC: 281 ppb

DW: LADD: 2.83E-04 mg/kg/day; ADR: 1.37E-02 mg/kg/day FI: LADD: 1.01E-04 mg/kg/day; ADR: 7.92E-03 mg/kg/day >COC (10.00 ppb) days/yr

Fate Releases to Water (65.00% Removal)

SWC: 86 ppb

DW: LADD: 6.05E-05 mg/kg/day; ADR: 4.39E-03 mg/kg/day FI: LADD: 2.16E-05 mg/kg/day; ADR: 1.70E-03 mg/kg/day >COC (10.00 ppb) days/yr

Fate Releases to Water (65.00%)

SWC: 244 ppb

DW: LADD: 2.00E-04 mg/kg/day; ADR: 1.19E-02 mg/kg/day FI: LADD: 7.13E-05 mg/kg/day; ADR: 5.60E-03 mg/kg/day

>COC (10.00 ppb) days/yr

Fate Releases to Air:

Stack Air: LADD: 4.18E-04 mg/kg/day

Fate Releases to Air:

Stack Air: LADD: 4.18E-04 mg/kg/day

Fate Releases to Air:

Stack Air: LADD: 4.18E-04 mg/kg/day

P2 Rec Comments:

#### **Testing:**

#### Final Recommended:

Health:

Eco:

Fate: Other:

03/12/2015 09:55:20 AM

# **SAT Report**

PMN Number: **P-11-0268** SAT Date: **3/31/2011 11:00:00 PM** 

Print Date: 3/12/2015

### **Related cases:**

Health related cases:

Ecotox related cases: Analogs:

### **Concern levels:**

Type of Concern: <u>Health</u> <u>Eco</u> <u>Comments</u>

Level of Concern: 1-2 2

Persistence Bioaccum
1 1 1
Awaiting
Human Health
Entry
Awaiting
Human Health
Entry
Awaiting
Human Health
Entry
Awaiting
Human Health
Entry
Awaiting
Human Health

**Exposure Based Review:** 

Health: Ecotox: No

**Routes of exposure:** Health: Dermal Inhalation

**Ecotox:** All releases to water

Entry

Fate: ;

**Keywords:** 

**Keywords:** 

**Summary of Assessment:** 

Fate:

Fate Summary: P-11-0268

FATE:

Solid with MP = 79 C (M)

 $\log Kow = 4.67 (E)$ 

S = 1.33 mg/L at 25 C (E)

VP < 1.0E-6 torr at 25 C (E)

BP > 400 C (E)

H < 1.00E-8 (E)

 $\log Koc = 4.13 (E)$ 

 $\log Fish BCF = 1.92 (E)$ 

log Fish BAF = 1.85 (E)

POTW removal (%) = 90 via sorption and biodeg; Japanese Biodegradability Test: 0%

(BOD)/28d. Japanese Bioconcentration Test: 192 (low), 222 (high)/60d.

Time for complete ultimate aerobic biodeg ≥ mo

Sorption to soils/sediments = v.strong

PBT Potential: P2B1

\*CEB FATE: Migration to ground water = negl

#### **Health:**

**Health Summary:** Not absorbed through the skin as the neat material moderate absorption through the skin if in solution (pchem), moderate absorption from the lung and GI tract (pchem). Concern for mutagenicity based on submitted test data.

**Test Data:** (-) Salmonella with and without activation; (-) E. coli with and without activation; (+) for chromosome aberrations in CHL cells with and (-) without activation; rat 28-day oral NOEL = 1000 mg/kg (highest dose tested)

#### **Ecotox:**

Test Organism	Test	Test End	Predicted	Measured	Comments
	Type	Point			
fish	96-h	LC50	1.2		
daphnid	48-h	LC50	2.1		
green algal	96-h	EC50	2.7		
fish	_	chronic value	0.10		
daphnid	_	chronic	0.38		
		value			
algal	_	chronic	0.96		neutral organics
		value			baseline
Sewage Sludge	3-h	EC50			
Sewage Sludge		Chronic	_		
		Value			

### **Ecotox Values Comments:**

Factors	Values	Comments
Assessment Factor	10	
Concentration of Concern	10	
(ppb)		
SARs	phosphate	
SAR Class	phosphate	new chemicals category: none

Ecotox Category

# **Ecotox Factors Comments:**

**SAT Chair:** L Keifer 564-8916


1

# INITIAL REVIEW ENGINEERING REPORT P-11-0268 Focus Ready Draft 4/10/2011 11:00:00 PM **ENGINEER:** Prothero \ EV \ CLM PV (kg/yr): **Revision Notes/Assessment Overview: SUBMITTER:** USE: Flame retardant %P == all analogs are flame retardants. **OTHER USES:** No other uses found for the PMN material. MSDS: Yes LABEL: No Gen Eqpt: Use impervious gloves and safety glasses or goggles. **Respirator:** Use of respirators identified but no specific recommendations made about selecting appropriate respiratory PPE. Health Effects: MSDS states "no hazard in normal industrial use" for potential health effects through inhalation, eye, skin, and ingestion. TLV/PEL: - None Established LVE PPE: **CRSS:** (3/30/2011 11:00:00 PM): **Chemical Name:** S-H2O: 0.00133 g/L @ **VP:** 1.0E-6 torr @ MW: Physical State and Misc CRSS Info: Neat: Solid Mfg: NK - Imported Proc/Form: End Use: : MP = 79 °C; insoluble in water; density = 1.08 g/cc; . Submitted data: ; IR spectrum provided. EPI estimated data (input MP = $79 \,^{\circ}$ C): BP = 477 °C; VP = 3.28E-8 torr; WS = 1.33E-3 g/L; log P = 4.67. ACD Labs estimated data (STN pprop): BP = 4.67. $468 \, ^{\circ}\text{C}$ ; VP = 1.75E-8 torr; WS = 8.5E-3 g/L; $\log P = 4.56. \, ^{\circ}\text{P} = 8.36\%$ ; $^{\circ}\text{phosphate} = 8.36\%$ . Measured data $MP = 50.5 \,^{\circ}C; BP = 245 \,^{\circ}C \text{ at } 11 \text{ torr};$ (Physprop) for analog WS = 1.19 mg/L; $\log P = 4.59$ . **Consumer Use: SAT** (concerns): (3/31/2011 11:00:00 PM): **Related Cases and Misc SAT Info:** Ecotox Related Cases: Analogs -> Migration to groundwater: PBT rating: P2 B1 T1. Health: 1-2, Dermal, Inhalation Eco: 2, Water (All releases to water with a CC = 10 ppb)

**OCCUPATIONAL EXPOSURE RATING: 2-3B** 

#### **NOTES & KEY ASSUMPTIONS:**

Generated by the 06/07/2005 version of ChemSTEER. PMN import only -> mfg not assessed. The submitter was contacted to clarify information provided - see Contact Report. The following similar-use, different-submitter past cases were referenced for consistency in assessing the end use operation:



#### POLLUTION PREVENTION CONSIDERATIONS:

No Pollution Prevention information provided by the submitter.

P2 REC:

EXPOSURE-BASED REVIEW: No (0 criteria met)

ENVIRONMENTAL RELEASES ESTIMATE SUMMARY	Processing -
ENVIRONMENTAL RELEASES ESTIMATE SUMMARY IRER Note: The daily releases listed for any source below may coincide with daily releases from the other sources	Number of Sites/Location: submitter site(s)
IRER Note: The daily releases listed for any source below may coincide with daily releases from the other sources	
IRER Note: The daily releases listed for any source below may coincide with daily releases from the other sources	
to the same medium. Submission estimates release of	IRER Note: The daily releases listed for any source below may coincide with daily releases from the other sources
	to the same medium. Submission estimates release of
kg/yr - all sites	RELEASE TOTAL  kg/yr - all sites

# OCCUPATIONAL EXPOSURES ESTIMATE SUMMARY

Tot. # of workers exposed via assessed routes: Basis:

**Dermal:** 

Exposure to So	olid	
<b>High End:</b>	mg/day over	days/yr
Number of wo	orkers (all sites) w	rith Dermal exposure:
<b>Basis:</b>		

#### **Inhalation:**

Exposure to Particulate


**Upper Bound:** 

Upper Bound: mg/day over days/yr
Number of workers (all sites) with Inhalation exposure:

# INHALATION MONITORING DATA REVIEW


- 1) Uncertainty (estimate based on model, regulatory limit, or data not specific to industry): Yes
- 2) (a) Exposure level > 1 mg/day? Yes
  - (b) Hazard Rating for health of 2 or greater? No

Inhalation Monitoring Data Desired? Yes (both criteria met)



# ENVIRONMENTAL RELEASES ESTIMATE SUMMARY

IRER Note: The daily releases listed for any source below may coincide with daily releases from the other sources to the same medium. Air - not expected (low volatility PMN;



# **RELEASE TOTAL** kg/yr - all sites

# OCCUPATIONAL EXPOSURES ESTIMATE SUMMARY

Tot. # of workers exposed via assessed routes:  Basis:	TIMATE SUMMART
Dermal:	
Exposure to Liquid  High End: mg/day over days/yr  Number of workers (all sites) with Dermal exposure  Basis:	:

4/13/2011 Page 1 of 42

# INITIAL REVIEW EXPOSURE REPORT (IREXR)

Chemical ID: P-11-0268 Reviewer: Wong/SS

# **Results Table: Dose, Concentration, and Days Exceeded Results Summary**

Exposure Scenario <sup>1</sup>			W	ater			Landfill	Stack	k Air	Fugitive A	ir
	ing Water		Fish Inge	stion		I	I			I.	
ADR		LADD	ADR	LADD	$7Q10^4$ $CC = 10$	PDM Days Exceeded	LADD	ADR	LADD	ADR	LADD
Release activity(ies) <sup>2</sup> ; exposure calculation(s) <sup>3</sup>	mg/kg/d ay	mg/kg/day	mg/kg/da y	mg/kg/day	μg/l	# Days	mg/kg/day	mg/kg/day	mg/kg/day	mg/kg/day	mg/kg/day
PROC: max acute	e				1.39E+03			4.78E-02		2.02E-02	
PROC: PDM1					4.28E+02						
Use(a): max acut eco	e				4.05E+02						
Use(a): PDM1					4.05E+02						
Use(a): PDM2					2.82E+02						
Use(a): Max LADD									4.18E-04		
USE(b): max acu	te		1	1	1.25E+02			1	1		
USE(b): PDM1			I	ŀ	1.25E+02			1	ŀ		
USE(b): PDM2					8.67E+01						
USE(b): Max LADD									4.18E-04		
Use(c): max acut eco	e				3.51E+02						
Use(c): PDM1					3.51E+02						
Use(c): PDM2					2.44E+02						
Use(c): Max LADD									4.18E-04		

4/13/2011 Page 2 of 42

- 1 Exposure scenario titles consist of release activity followed by exposure calculation abbreviation.
- 2 Release activities are from engineering report's Manufacturing (Mfg), Processing (Proc) and Use release activity labels. Multiple release activities are combined in one exposure scenario if their releases occur at same location.
- 3 Exposure calculations are Acute Dose Rate (ADR), Lifetime Average Daily Dose (LADD), and Probabilistic Dilution Model (PDM). There may be one, two, or all three exposure calculations per exposure scenario. CC is the aquatic concentration of concern.
- 4 This column displays concentration values for the 7Q10 streamflow, which is defined as the average daily streamflow of the seven consecutive days of lowest flow within a ten year period.

$\mathbf{r}$			1		
ĸ	an	10	rks	•	•
1	$\sim$	ш		١.	

Fate Test Recommendations: Zahn-Wellens Test (OECD 302B)

4/13/2011 Page 3 of 42

## INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-11-0268 Assessor: Wong/SS

ENVIRONMENTAL RELEASES								
Scenario#:1			:					
Release Activity:	PROC: Max ADR							
Release Description:								
Total Releases:		N/A						
	(kg/yr)	(kg/yr)	(kg/yr)	(kg/yr)				
Release Days/yr:		0.00/0.00						
Per Site Release:		N/A/0.00						
	(kg/site/day)	(kg/site/day)	(kg/site/day)	(kg/site/day)				

Remarks:

4/13/2011 Page 4 of 42

## INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-11-0268



				Fish Ingestion Units		
	Car	ncer				
LADD <sub>pot</sub>	1.36E-04	mg/kg/day	4.86E-05	mg/kg/day		
LADC <sub>pot</sub>	6.99E-03	mg/L	0.58	mg/kg		
Acute						
ADR <sub>pot</sub>	6.94E-02	mg/kg/day	9.54E-02	mg/kg/day		

Surface Water Comments:

4/13/2011 Page 5 of 42

### INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-11-0268

## INHALATION EXPOSURE ESTIMATES (POST-TREATMENT)

SCENARIO #: 1 RELEASE ACTIVITY:PROC: Max ADR

RELEASE DESCRIPTION:

METHOD OF CALCULATION: Screen3

EXPOSED POPULATION: Adult

Number of Sites:		
Per Site Fugitive Release:		kg/site/day
Fugitive Release Days per Year:	2	days
% Removal via Fugitive Release:	0.00	%
Total Fugitive Release:		kg/yr
Max Annual Average Air Concentration (Fugitive):		$\mu g/m^3$
Max 24 Hour Average Air Concentration(Fugitive):		$\mu g/m^3$
Per Site Stack Release:		kg/site/day
Stack Release Days per Year:		days
% Removal via Stack Release:	0.00	%
Total Stack Release:	0	kg/yr
Max Annual Average Air Concentration (Stack):		$\mu g/m^3$
Max 24 Hour Average Air Concentration (Stack):		$\mu g/m^3$

	D. I	D. It. D. It.		ASSUMPTIONS			
Exposure Units		Results (Fugitive)	ED (years)	AT (years)	BW (kg)	Inh. Rate (m³/hr)	
Cancer							
LADD <sub>pot</sub> (mg/kg/day)	1.05E-04	4.23E-05	30.00	75.00	71.80	0.55	
LADC <sub>pot</sub> (mg/m <sup>3</sup> )	5.72E-04	2.30E-04	30.00	75.00	NA	NA	
Acute							
ADR <sub>pot</sub> (mg/kg/day)	4.78E-02	2.02E-02	NA	1 day	71.80	0.55	

**Inhalation Comments:** 

4/13/2011 Page 6 of 42

Stack Parameter Data		I	Fugitive Parameter Data	
Stack Height	m	Release I	Height:	n
Inside Stack Diameter:	m	Length of Opening:		m
Stack Gas Exit Velocity:	m/sec	Width of Opening:		m
Stack Gas Temperature:	K			
Meteorological and Terrain Information:	:			
Surrounding Land Use:		Rural		
Terrain Height:		0.00	m	
Distance to Residence of Interest:		100.00	m	
Meteorological Class:		Full		
Stability Class:		NA		
Wind Speed:		NA		
Downwash Information:				
Facility Length:		NA	m	
Facility Width:		NA	m	
Facility Height:		NA	m	

4/13/2011 Page 7 of 42

## INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-11-0268	Assessor:	Wong/SS
------------------------	-----------	---------

		9	S	
Scenario#:2			:	
Release Activity:	PDM1			
Release Description:				
Total Releases:		N/A	0.00	0.00
	(kg/yr)	(kg/yr)	(kg/yr)	(kg/yr)
Release Days/yr:		0.00/0.00	0.00	0.00
Per Site Release:		N/A/0.00	0.00	0.00
	(kg/site/day)	(kg/site/day)	(kg/site/day)	(kg/site/day)

Remarks:

4/13/2011 Page 8 of 42

### INITIAL REVIEW EXPOSURE REPORT

### Chemical ID: P-11-0268

### SITE-SPECIFIC HUMAN AND AQUATIC EXPOSURES TO SURFACE WATER RELEASES

SCENARIO NUMBER:2 RELEASE ACTIVITY: PROC: PDM1

FACILITY NAME:

FACILITY LOCATION:

RECEIVING WATER NAME:

REACH NUMBER: FACILITY ON REACH: Unk DISCHARGE TYPE: Direct

NPDES PERMIT #: EXPOSED POPULATION: Adult

WWT REMOVAL (%)	RELEASE DAYS	PRETREATMENT RELEASE (kg/site/day)	POSTTREATMENT RELEASE (kg/site/day)	DWT (%)	BCF (L/kg)
65.				0.00	

AQUATIC EXPOSURE ESTIMATES - SURFACE WATER					
FLOW DESCRIPTOR	Harmonic Mean	30Q5	7Q10	1Q10	PLANT
FLOW (MLD)					NA
CONCENTRATION (µg/L)	1				NA

DRINKING WATER INGESTION AND FISH INGESTION EXPOSURE ESTIMATES						
Exposure Units Drinking Water Results Drinking Water Units Fish Ingestion Results Units Test Ingestion Results Units						
Cancer						
LADD <sub>pot</sub>	1.00E-04 mg/kg/day 3.58E-05 mg/kg/day					
LADC <sub>pot</sub>	5.14E-03 mg/L 0.43 mg/kg					
Acute						
ADR <sub>pot</sub>	2.13E-02	mg/kg/day	2.92E-02	mg/kg/day		

Surface Water Comments:

4/13/2011 Page 9 of 42

#### INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-11-0268

### SITE-SPECIFIC HUMAN AND AQUATIC EXPOSURES TO SURFACE WATER RELEASES

SCENARIO NUMBER: 2 RELEASE ACTIVITY: PROC: PDM1

FACILITY NAME:

FACILITY LOCATION:

RECEIVING STREAM NAME:

REACH NUMBER: FACILITY ON REACH: Unk DISCHARGE TYPE: Direct

NPDES PERMIT NUMBER: GAGING STATION ID: N/A

GAGING STATION GAGING STATION NUMBER OF STATIONS ON

PERIOD OF RECORD: N/A NUMBER OF REACH: N/A

OBSERVATIONS: N/A

MEAN FLOW (MLD): FFFLUENT FLOW (MLD):

RESULTS					
COC (µg/L)	Percent of Year COC Exceeded	Number of Days COC Exceeded	Release days/year	Pre-treatment Loading (kg/site/day)	Waste Water Treatment (%)
10.00					0

4/13/2011 Page 10 of 42

## INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-11-0268	Assessor: Wong/SS
enemear 12.1 11 0200	115565501. 110118/55

			L	
Scenario#:3		Number of Release Site	es:	
Release Activity:	Use(a): Max ADR			
Release Description:				
Total Releases:		N/A	0.00	0.00
	(kg/yr)	(kg/yr)	(kg/yr)	(kg/yr)
Release Days/yr:		0.00/0.00	0.00	0.00
Per Site Release:		N/A/0.00	0.00	0.00
	(kg/site/day)	(kg/site/day)	(kg/site/day)	(kg/site/day)

Remarks:

4/13/2011 Page 11 of 42

### INITIAL REVIEW EXPOSURE REPORT

### Chemical ID: P-11-0268

### SITE-SPECIFIC HUMAN AND AQUATIC EXPOSURES TO SURFACE WATER RELEASES

SCENARIO NUMBER:3 RELEASE ACTIVITY: Use(a): Max ADR

FACILITY NAME:

FACILITY LOCATION:

RECEIVING WATER NAME:

REACH NUMBER: 0 FACILITY ON REACH: No DISCHARGE TYPE: Direct

NPDES PERMIT #: EXPOSED POPULATION: Adult

WWT REMOVAL (%)	RELEASE DAYS	PRETREATMENT RELEASE (kg/site/day)	POSTTREATMENT RELEASE (kg/site/day)	DWT (%)	BCF (L/kg)
65.	•			0.00	

AQUATIC EXPOSURE ESTIMATES - SURFACE WATER						
FLOW DESCRIPTOR Harmonic Mean 30Q5 7Q10 1Q10 PLANT						
FLOW (MLD)					NA	
CONCENTRATION (µg/L)					NA	

DRINKING WATER INGESTION AND FISH INGESTION EXPOSURE ESTIMATES						
				Fish Ingestion Units		
Cancer						
LADD <sub>pot</sub>	7.48E-05 mg/kg/day 2.67E-05 mg/kg/day			mg/kg/day		
LADC <sub>pot</sub>	3.84E-03 mg/L 0.32 mg/kg		mg/kg			
Acute						
$ADR_{pot}$	1.97E-02	1.97E-02 mg/kg/day 1.14E-02 mg/kg/day				

Surface Water Comments:

4/13/2011 Page 12 of 42

## INITIAL REVIEW EXPOSURE REPORT

Scenario#:4		Number of Release Site	es:	
Release Activity:	a): PDM1			
Release Description:				
Total Releases:		N/A	0.00	0.00
	(kg/yr)	(kg/yr)	(kg/yr)	(kg/yr)
Release Days/yr:		0.00/0.00	0.00	0.00
Per Site Release:		N/A/0.00	0.00	0.00
	(kg/site/day)	(kg/site/day)	(kg/site/day)	(kg/site/day)

Remarks:

4/13/2011 Page 13 of 42

### INITIAL REVIEW EXPOSURE REPORT

### Chemical ID: P-11-0268

### SITE-SPECIFIC HUMAN AND AQUATIC EXPOSURES TO SURFACE WATER RELEASES

SCENARIO NUMBER:4 RELEASE ACTIVITY: Use(a): PDM1

FACILITY NAME:

FACILITY LOCATION:

RECEIVING WATER NAME:

REACH NUMBER: FACILITY ON REACH: No DISCHARGE TYPE: Direct

NPDES PERMIT #: EXPOSED POPULATION: Adult

WWT REMOVAL (%)	RELEASE DAYS	PRETREATMENT RELEASE (kg/site/day)	POSTTREATMENT RELEASE (kg/site/day)	DWT (%)	BCF (L/kg)
65.				0.00	

AQUATIC EXPOSURE ESTIMATES - SURFACE WATER						
FLOW DESCRIPTOR Harmonic Mean 30Q5 7Q10 1Q10 PLANT						
FLOW (MLD)					NA	
CONCENTRATION (µg/L)					NA	

DRINKING WATER INGESTION AND FISH INGESTION EXPOSURE ESTIMATES						
				Fish Ingestion Units		
Cancer						
LADD <sub>pot</sub>	7.48E-05 mg/kg/day 2.67E-05 mg/kg/day			mg/kg/day		
LADC <sub>pot</sub>	3.84E-03 mg/L 0.32 mg/kg		mg/kg			
Acute						
$ADR_{pot}$	1.97E-02	1.97E-02 mg/kg/day 1.14E-02 mg/kg/day				

Surface Water Comments:

4/13/2011 Page 14 of 42

#### INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-11-0268

### SITE-SPECIFIC HUMAN AND AQUATIC EXPOSURES TO SURFACE WATER RELEASES

SCENARIO NUMBER: 4 RELEASE ACTIVITY: Use(a): PDM1

FACILITY NAME:

FACILITY LOCATION:

RECEIVING STREAM NAME:

REACH NUMBER: FACILITY ON REACH: No DISCHARGE TYPE: Direct

NPDES PERMIT NUMBER: GAGING STATION ID: N/A

GAGING STATION GAGING STATION NUMBER OF STATIONS ON

PERIOD OF RECORD: N/A NUMBER OF REACH: N/A

OBSERVATIONS: N/A

MEAN FLOW (MLD): EFFLUENT FLOW (MLD):

RESULTS					
COC (µg/L)	Percent of Year COC Exceeded	Number of Days COC Exceeded	Release days/year	Pre-treatment Loading (kg/site/day)	Waste Water Treatment (%)
10.00					

4/13/2011 Page 15 of 42

## INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-11-0268	Assessor: Wong/SS
enemear 12.1 11 0200	115565501. 110118/55

Scenario#:5		Number of Release Site	es:	
Release Activity:	PDM2			
Release Description:				
Total Releases:		N/A	0.00	0.00
	(kg/yr)	(kg/yr)	(kg/yr)	(kg/yr)
_				
Release Days/yr:		0.00/0.00	0.00	0.00
Per Site Release:		N/A/0.00	0.00	0.00
•	(kg/site/day)	(kg/site/day)	(kg/site/day)	(kg/site/day)

Remarks:

4/13/2011 Page 16 of 42

### INITIAL REVIEW EXPOSURE REPORT

### Chemical ID: P-11-0268

### SITE-SPECIFIC HUMAN AND AQUATIC EXPOSURES TO SURFACE WATER RELEASES

SCENARIO NUMBER:5 RELEASE ACTIVITY: Use(a): PDM2

FACILITY NAME:

FACILITY NAME:

RECEIVING WATER NAME:

FACILITY LOCATION:

REACH NUMBER: 0 FACILITY ON REACH: No DISCHARGE TYPE: Direct

NPDES PERMIT #: EXPOSED POPULATION: Adult

WWT REMOVAL (%)	RELEASE DAYS	PRETREATMENT RELEASE (kg/site/day)	POSTTREATMENT RELEASE (kg/site/day)	DWT (%)	BCF (L/kg)
65.				0.00	

AQUATIC EXPOSURE ESTIMATES - SURFACE WATER						
FLOW DESCRIPTOR	Harmonic Mean	30Q5	7Q10	1Q10	PLANT	
FLOW (MLD)					NA	
CONCENTRATION (µg/L)					NA	

DRINKING WATER INGESTION AND FISH INGESTION EXPOSURE ESTIMATES							
Exposure Units	Drinking Water Results Drinking Water Units Fish Ingestion Results Units Test Units Results Units						
Cancer							
LADD <sub>pot</sub>	2.83E-04 mg/kg/day 1.01E-04 mg/kg/day						
LADC <sub>pot</sub>	1.45E-02 mg/L 1.21 mg/kg						
Acute							
ADR <sub>pot</sub>	1.37E-02	mg/kg/day	7.92E-03	mg/kg/day			

Surface Water Comments:

4/13/2011 Page 17 of 42

#### INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-11-0268

### SITE-SPECIFIC HUMAN AND AQUATIC EXPOSURES TO SURFACE WATER RELEASES

SCENARIO NUMBER: 5 RELEASE ACTIVITY: Use(a): PDM2

FACILITY NAME:

FACILITY LOCATION:

RECEIVING STREAM NAME:

REACH NUMBER: FACILITY ON REACH: No DISCHARGE TYPE: Direct

NPDES PERMIT NUMBER: GAGING STATION ID: N/A

GAGING STATION GAGING STATION NUMBER OF STATIONS ON

PERIOD OF RECORD: N/A NUMBER OF REACH: N/A

OBSERVATIONS: N/A

MEAN FLOW (MLD): EFFLUENT FLOW (MLD)

RESULTS							
COC (µg/L)	Percent of Year COC Exceeded	Number of Days COC Exceeded	Release days/year	Pre-treatment Loading (kg/site/day)	Waste Water Treatment (%)		
10.00			0	1			

4/13/2011 Page 18 of 42

## INITIAL REVIEW EXPOSURE REPORT

ssessor:	Wong/SS
	ssessor:

Scenario#:6		Number of Release Site	es:	
Release Activity:	(a): Max LADD			
Release Description:				
Total Releases:	0.00	N/A		0.00
	(kg/yr)	(kg/yr)	(kg/yr)	(kg/yr)
Release Days/yr:	0.00	0.00/0.00		0.00
Per Site Release:	0.00	N/A/0.00		0.00
	(kg/site/day)	(kg/site/day)	(kg/site/day)	(kg/site/day)

Remarks:

4/13/2011 Page 19 of 42

#### INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-11-0268

#### INHALATION EXPOSURE ESTIMATES (POST-TREATMENT)

SCENARIO #: 6 RELEASE ACTIVITY:Use(a): Max LADD

RELEASE DESCRIPTION:

METHOD OF CALCULATION: Screen3

EXPOSED POPULATION: Adult

Number of Sites:

Per Site Fugitive Release: NA kg/site/day

Fugitive Release Days per Year: NA days

% Removal via Fugitive Release: 0.00 %

Total Fugitive Release: NA kg/yr

Max Annual Average Air Concentration 0.00 μg/m<sup>3</sup>

(Fugitive):

Max 24 Hour Average Air  $N/A \mu g/m^3$ 

Concentration(Fugitive):

Per Site Stack Release: kg/site/day

Stack Release Days per Year: days

% Removal via Stack Release: 0.00 %

Total Stack Release: kg/yr

Max Annual Average Air Concentration (Stack): μg/m<sup>3</sup>

Max 24 Hour Average Air Concentration (Stack): N/A μg/m<sup>3</sup>

	D. I	D. I	ASSUMPTIONS			
Exposure Units	Results (Stack)	Results (Fugitive)	ED (years)	AT (years)	BW (kg)	Inh. Rate (m³/hr)
Cancer						
LADD <sub>pot</sub> (mg/kg/day)	4.18E-04	N/A	30.00	75.00	71.80	0.55
LADC <sub>pot</sub> (mg/m <sup>3</sup> )	2.28E-03	N/A	30.00	75.00	NA	NA
Acute						
ADR <sub>pot</sub> (mg/kg/day)	N/A	N/A	NA	1 day	71.80	0.55

**Inhalation Comments:** 

4/13/2011 Page 20 of 42

Stack Parameter Data Fugitive Parameter Data Stack Height 10.00 Release Height: N/A m Inside Stack 0.10 m Length of Release N/A Opening: Diameter: Width of Release Stack Gas Exit 0.10 m/sec N/A Velocity: Opening: Stack Gas 293.00 K Temperature: Meteorological and Terrain Information: Surrounding Land Use: Rural Terrain Height: 0.00 m Distance to Residence of Interest: 100.00 m Meteorological Class: Full Stability Class: NA Wind Speed: NA Downwash Information: Facility Length: NA m Facility Width: NA m

NA m

Facility Height:

4/13/2011 Page 21 of 42

## INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-11-0268	Assessor:	Wong/SS
------------------------	-----------	---------

Scenario#:7	Scenario#:7 Number of Release Sites: 1.							
Release Activity:	(b): Max ADR							
Release Description:								
Total Releases:		N/A	0.00	0.00				
	(kg/yr)	(kg/yr)	(kg/yr)	(kg/yr)				
Release Days/yr:		0.00/0.00	0.00	0.00				
Per Site Release:		N/A/0.00	0.00	0.00				
	(kg/site/day)	(kg/site/day)	(kg/site/day)	(kg/site/day)				

Remarks:

4/13/2011 Page 22 of 42

### INITIAL REVIEW EXPOSURE REPORT

### Chemical ID: P-11-0268

### SITE-SPECIFIC HUMAN AND AQUATIC EXPOSURES TO SURFACE WATER RELEASES

SCENARIO NUMBER:7 RELEASE ACTIVITY: USE(b): Max ADR

FACILITY NAME:

FACILITY LOCATION:

RECEIVING WATER NAME:

REACH NUMBER: FACILITY ON REACH: Yes DISCHARGE TYPE: Direct

NPDES PERMIT #: EXPOSED POPULATION: Adult

WWT REMOVAL (%)	RELEASE DAYS	PRETREATMENT RELEASE (kg/site/day)	POSTTREATMENT RELEASE (kg/site/day)	DWT (%)	BCF (L/kg)
65.				0.00	

AQUATIC EXPOSURE ESTIMATES - SURFACE WATER							
FLOW DESCRIPTOR	Harmonic Mean	30Q5	7Q10	1Q10	PLANT		
FLOW (MLD)					NA		
CONCENTRATION (µg/L)	CONCENTRATION (µg/L)						

DRINKING WATER INGESTION AND FISH INGESTION EXPOSURE ESTIMATES							
Exposure Units Drinking Water Results Drinking Water Units Fish Ingestion Results Units Tesh Ingestion Units Units Tesh Ingestion Units Tesh Ingestion Units Units Units Tesh Ingestion Units							
Cancer							
LADD <sub>pot</sub>	1.60E-05 mg/kg/day 5.71E-06 mg/kg/day						
LADC <sub>pot</sub>	8.21E-04 mg/L 6.84E-02 mg/kg						
Acute							
ADR <sub>pot</sub>	6.31E-03	mg/kg/day	2.44E-03	mg/kg/day			

Surface Water Comments:

4/13/2011 Page 23 of 42

### INITIAL REVIEW EXPOSURE REPORT

Scenario#:8		Number of Release Site	es:	
Release Activity:	(b): PDM1			
Release Description:				
Total Releases:		N/A	0.00	0.00
	(kg/yr)	(kg/yr)	(kg/yr)	(kg/yr)
Release Days/yr:		0.00/0.00	0.00	0.00
Per Site Release:		N/A/0.00	0.00	0.00
	(kg/site/day)	(kg/site/day)	(kg/site/day)	(kg/site/day)

4/13/2011 Page 24 of 42

### INITIAL REVIEW EXPOSURE REPORT

### Chemical ID: P-11-0268

### SITE-SPECIFIC HUMAN AND AQUATIC EXPOSURES TO SURFACE WATER RELEASES

SCENARIO NUMBER:8 RELEASE ACTIVITY: USE(b): PDM1

FACILITY NAME:

FACILITY LOCATION:

RECEIVING WATER NAME:

REACH NUMBER: FACILITY ON REACH: Yes DISCHARGE TYPE: Direct

NPDES PERMIT #: EXPOSED POPULATION: Adult

WWT REMOVAL (%)	RELEASE DAYS	PRETREATMENT RELEASE (kg/site/day)	POSTTREATMENT RELEASE (kg/site/day)	DWT (%)	BCF (L/kg)
65.				0.00	

AQUATIC EXPOSURE ESTIMATES - SURFACE WATER						
FLOW DESCRIPTOR Harmonic Mean 30Q5 7Q10 1Q10 PLANT						
FLOW (MLD)					NA	
CONCENTRATION (µg/L)						

DRINKING WATER INGESTION AND FISH INGESTION EXPOSURE ESTIMATES						
Exposure Units	Drinking Water Results	Drinking Water Units	Fish Ingestion Results	Fish Ingestion Units		
Cancer						
LADD <sub>pot</sub>	1.60E-05 mg/kg/day 5.71E-06 mg/kg/day					
LADC <sub>pot</sub>	8.21E-04 mg/L 6.84E-02 mg/kg			mg/kg		
Acute						
ADR <sub>pot</sub>	6.31E-03	mg/kg/day	2.44E-03	mg/kg/day		

Surface Water Comments:

4/13/2011 Page 25 of 42

### INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-11-0268

### SITE-SPECIFIC HUMAN AND AQUATIC EXPOSURES TO SURFACE WATER RELEASES

SCENARIO NUMBER: 8 RELEASE ACTIVITY: USE(b): PDM1

FACILITY NAME:

FACILITY LOCATION:

RECEIVING STREAM NAME:

REACH NUMBER: 0 FACILITY ON REACH: Yes DISCHARGE TYPE: Direct

NPDES PERMIT NUMBER: N GAGING STATION ID: N/A

GAGING STATION GAGING STATION NUMBER OF STATIONS ON

PERIOD OF RECORD: N/A NUMBER OF REACH: N/A

OBSERVATIONS: N/A

MEAN FLOW (MLD): EFFLUENT FLOW (MLD):

RESULTS					
COC (µg/L)	Percent of Year COC Exceeded	Number of Days COC Exceeded	Release days/year	Pre-treatment Loading (kg/site/day)	Waste Water Treatment (%)
10.00			0		

4/13/2011 Page 26 of 42

### INITIAL REVIEW EXPOSURE REPORT

Scenario#:9		Number of Release Site	es: .	
Release Activity:	): PDM2			
Release Description:				
Total Releases:		N/A	0.00	0.00
	(kg/yr)	(kg/yr)	(kg/yr)	(kg/yr)
Release Days/yr:		0.00/0.00	0.00	0.00
Per Site Release:		N/A/0.00	0.00	0.00
	(kg/site/day)	(kg/site/day)	(kg/site/day)	(kg/site/day)

4/13/2011 Page 27 of 42

### INITIAL REVIEW EXPOSURE REPORT

### Chemical ID: P-11-0268

### SITE-SPECIFIC HUMAN AND AQUATIC EXPOSURES TO SURFACE WATER RELEASES

SCENARIO NUMBER:9 RELEASE ACTIVITY: USE(b): PDM2

FACILITY NAME:

FACILITY LOCATION:

RECEIVING WATER NAME:

REACH NUMBER: FACILITY ON REACH: Yes DISCHARGE TYPE: Direct

NPDES PERMIT #: EXPOSED POPULATION: Adult

WWT REMOVAL (%)	RELEASE DAYS	PRETREATMENT RELEASE (kg/site/day)	POSTTREATMENT RELEASE (kg/site/day)	DWT (%)	BCF (L/kg)
65.				0.00	83.30

AQUATIC EXPOSURE ESTIMATES - SURFACE WATER							
FLOW DESCRIPTOR Harmonic Mean 30Q5 7Q10 1Q10 PLANT							
FLOW (MLD)					NA		
CONCENTRATION (µg/L)	CONCENTRATION (µg/L)						

DRINKING WATER INGESTION AND FISH INGESTION EXPOSURE ESTIMATES						
Exposure Units	Drinking Water Results	Drinking Water Units	Fish Ingestion Results	Fish Ingestion Units		
Cancer						
LADD <sub>pot</sub>	6.05E-05 mg/kg/day 2.16E-05 mg/kg/day					
LADC <sub>pot</sub>	3.10E-03 mg/L 0.26 mg/kg			mg/kg		
Acute						
ADR <sub>pot</sub>	4.39E-03	mg/kg/day	1.70E-03	mg/kg/day		

Surface Water Comments:

4/13/2011 Page 28 of 42

### INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-11-0268

### SITE-SPECIFIC HUMAN AND AQUATIC EXPOSURES TO SURFACE WATER RELEASES

SCENARIO NUMBER: 9 RELEASE ACTIVITY: USE(b): PDM2

FACILITY NAME:

FACILITY LOCATION:

RECEIVING STREAM NAME:

REACH NUMBER: 0 FACILITY ON REACH: Yes DISCHARGE TYPE: Direct

NPDES PERMIT NUMBER: 5 GAGING STATION ID: N/A

GAGING STATION GAGING STATION NUMBER OF STATIONS ON

PERIOD OF RECORD: N/A NUMBER OF REACH: N/A

OBSERVATIONS: N/A

MEAN FLOW (MLD): EFFLUENT FLOW (MLD)

RESULTS						
COC (µg/L)	Percent of Year COC Exceeded	Number of Days COC Exceeded	Release days/year	Pre-treatment Loading (kg/site/day)	Waste Water Treatment (%)	
10.00						

4/13/2011 Page 29 of 42

# INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-11-0268	Assessor: Wong/SS
------------------------	-------------------

Scenario#:10		Number of Release Site	es:	
Release Activity:	Max LADD			
Release Description:				
Total Releases:	0.00	N/A	1	0.00
	(kg/yr)	(kg/yr)	(kg/yr)	(kg/yr)
_				
Release Days/yr:	0.00	0.00/0.00		0.00
Per Site Release:	0.00	N/A/0.00		0.00
•	(kg/site/day)	(kg/site/day)	(kg/site/day)	(kg/site/day)

4/13/2011 Page 30 of 42

### INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-11-0268

### INHALATION EXPOSURE ESTIMATES (POST-TREATMENT)

SCENARIO #: 10 RELEASE ACTIVITY:USE(b): Max LADD

RELEASE DESCRIPTION:

METHOD OF CALCULATION: Screen3

EXPOSED POPULATION: Adult

Number of Sites:

Per Site Fugitive Release: NA kg/site/day

Fugitive Release Days per Year: NA days

% Removal via Fugitive Release: 0.00 %

Total Fugitive Release: NA kg/yr

Max Annual Average Air Concentration 0.00 μg/m<sup>3</sup>

(Fugitive):

Max 24 Hour Average Air  $N/A \mu g/m^3$ 

Concentration(Fugitive):

Per Site Stack Release: kg/site/day

Stack Release Days per Year: days

% Removal via Stack Release: 0.00 %

Total Stack Release: kg/yr

Max Annual Average Air Concentration (Stack): μg/m<sup>3</sup>

Max 24 Hour Average Air Concentration (Stack): N/A μg/m<sup>3</sup>

Exposure Units			ASSUMPTIONS						
	Results (Stack)	Results (Fugitive)	ED (years)	AT (years)	BW (kg)	Inh. Rate (m³/hr)			
Cancer									
LADD <sub>pot</sub> (mg/kg/day)	4.18E-04	N/A	30.00	75.00	71.80	0.55			
LADC <sub>pot</sub> (mg/m <sup>3</sup> )	2.28E-03	N/A	30.00	75.00	NA	NA			
Acute									
ADR <sub>pot</sub> (mg/kg/day)	N/A	N/A	NA	1 day	71.80	0.55			

**Inhalation Comments:** 

4/13/2011 Page 31 of 42

Stack Parameter Data Fugitive Parameter Data Stack Height 10.00 Release Height: N/A m Inside Stack 0.10 m Length of Release N/A Opening: Diameter: Width of Release Stack Gas Exit 0.10 m/sec N/A Velocity: Opening: Stack Gas 293.00 K Temperature: Meteorological and Terrain Information: Surrounding Land Use: Rural Terrain Height: 0.00 m Distance to Residence of Interest: 100.00 m Meteorological Class: Full Stability Class: NA Wind Speed: NA Downwash Information: Facility Length: NA m Facility Width: NA m

NA m

Facility Height:

4/13/2011 Page 32 of 42

### INITIAL REVIEW EXPOSURE REPORT

Scenario#:11		Number of Release Site	es:	
Release Activity:	: Max ADR			
Release Description:				
Total Releases:		N/A	0.00	0.00
	(kg/yr)	(kg/yr)	(kg/yr)	(kg/yr)
Release Days/yr:		0.00/0.00	0.00	0.00
Per Site Release:		N/A/0.00	0.00	0.00
•	(kg/site/day)	(kg/site/day)	(kg/site/day)	(kg/site/day)

4/13/2011 Page 33 of 42

### INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-11-0268

65.00

#### SIC-CODE BASED HUMAN AND AQUATIC EXPOSURES TO SURFACE WATER RELEASES SCENARIO #: 11 Number of Sites: RELEASE ACTIVITY:Use(c): Max ADR SIC-CODE DESCRIPTION: SIC-CODE (S): EXPOSED POPULATION: Adult WWT PRETREATMENT POSTTREATMENT DWT REMOVAL RELEASE RELEASE RELEASE BCF (%) (kg/site/day) (kg/site/day) DAYS (%) (L/kg)

0.00

	AQUATIC EXPOSURE ESTIMATES - SURFACE WATER										
PLANT TYPE	% ILE FACILITY	STREAM FLOW (MLD)				:	STREAM C	ONC. (µg/l)			
		Harmonic Mean	30Q5	7Q10	1Q10	Harmonic Mean	30Q5	7Q10	1Q10		
ALL											
ALL											

DRINKING WATER AND FISH INGESTION EXPOSURE ESTIMATES									
Exposure Units	Drinking Water Results		Drinking Water Units	Fish Ingestion Results		Fish Ingestion Units			
	50%	10%		50%	10%				
Cancer									
$\mathrm{LADD}_{\mathrm{pot}}$	1.60E-05	5.29E-05	mg/kg/day	5.71E-06	1.89E-05	mg/kg/day			
LADC <sub>pot</sub>	8.21E-04	2.71E-03	mg/L	6.83E-02	0.23	mg/kg			
Acute									
ADR <sub>pot</sub>	3.19E-03	1.72E-02	mg/kg/day	2.44E-03	8.05E-03	mg/kg/day			

SIC Code Comments:

4/13/2011 Page 34 of 42

# INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-11-0268 Assessor: Wong/SS

Scenario#:12		Number of Release Site	es:	
Release Activity:	: PDM1			
Release Description:				
Total Releases:		N/A	0.00	0.00
	(kg/yr)	(kg/yr)	(kg/yr)	(kg/yr)
Release Days/yr:		0.00/0.00	0.00	0.00
Per Site Release:		N/A/0.00	0.00	0.00
'	(kg/site/day)	(kg/site/day)	(kg/site/day)	(kg/site/day)

4/13/2011 Page 35 of 42

### INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-11-0268

# SIC-CODE BASED HUMAN AND AQUATIC EXPOSURES TO SURFACE WATER RELEASES

SCENARIO #: 12 Number of Sites: RELEASE ACTIVITY:Use(c): PDM1

SIC-CODE DESCRIPTION:

SIC-CODE (S): EXPOSED POPULATION: Adult

WWT REMOVAL (%)	RELEASE DAYS	PRETREATMENT RELEASE (kg/site/day)	POSTTREATMENT RELEASE (kg/site/day)	DWT (%)	BCF (L/kg)
65.00				0.00	

	AQUATIC EXPOSURE ESTIMATES - SURFACE WATER										
PLANT TYPE	% ILE FACILITY	STREAM FLOW (MLD)				:	STREAM C	ONC. (µg/l)			
		Harmonic Mean	30Q5	7Q10	1Q10	Harmonic Mean	30Q5	7Q10	1Q10		
ALL											
ALL											

DRINKING WATER AND FISH INGESTION EXPOSURE ESTIMATES										
Exposure Units	Drinking Water Results		Drinking Water Units	Fish Ingestion Results		Fish Ingestion Units				
	50%	10%		50%	10%					
Cancer										
$\mathrm{LADD}_{\mathrm{pot}}$	1.60E-05	5.29E-05	mg/kg/day	5.71E-06	1.89E-05	mg/kg/day				
LADC <sub>pot</sub>	8.21E-04	2.71E-03	mg/L	6.83E-02	0.23	mg/kg				
Acute										
ADR <sub>pot</sub>	3.19E-03	1.72E-02	mg/kg/day	2.44E-03	8.05E-03	mg/kg/day				

SIC Code Comments:

4/13/2011 Page 36 of 42

### INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-11-0268

### SIC CODE EXPOSURES TO SURFACE WATER RELEASES

SCENARIO #: 12 RELEASE ACTIVITY: Use(c): PDM1

SIC CODE DESCRIPTION:

ASSOCIATED SIC CODES:

SIC CODE RESULTS										
COC (μg/L)	Percent of Year COC Exceeded	Number of Days COC Exceeded	Release days/year	Loading (kg/site/day)	Waste Water Treatment (%)	High/Avg Analysis				
10.00						High				

4/13/2011 Page 37 of 42

### INITIAL REVIEW EXPOSURE REPORT

Scenario#:13		Number of Release Site	es:	
Release Activity:	: PDM2			
Release Description:				
				T
Total Releases:		N/A	0.00	0.00
	(kg/yr)	(kg/yr)	(kg/yr)	(kg/yr)
Release Days/yr:		0.00/0.00	0.00	0.00
Per Site Release:		N/A/0.00	0.00	0.00
	(kg/site/day)	(kg/site/day)	(kg/site/day)	(kg/site/day)

4/13/2011 Page 38 of 42

### INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-11-0268

# SIC-CODE BASED HUMAN AND AQUATIC EXPOSURES TO SURFACE WATER RELEASES

SCENARIO #: 13 Number of Sites: RELEASE ACTIVITY:Use(c): PDM2

SIC-CODE DESCRIPTION:

SIC-CODE (S): EXPOSED POPULATION: Adult

WWT REMOVAL (%)	RELEASE DAYS	PRETREATMENT RELEASE (kg/site/day)	POSTTREATMENT RELEASE (kg/site/day)	DWT (%)	BCF (L/kg)
65.00				0.00	

	AQUATIC EXPOSURE ESTIMATES - SURFACE WATER									
PLANT TYPE	% ILE FACILITY		STREAM FLOW (MLD)				STREAM CONC. (μg/l)			
		Harmonic Mean	30Q5	7Q10	1Q10	Harmonic Mean	30Q5	7Q10	1Q10	
ALL										
ALL										

DRINKING WATER AND FISH INGESTION EXPOSURE ESTIMATES								
Exposure Units	Drinking Water Results 50% 10%		Drinking Water Units	Fish Ingestion Results		Fish Ingestion Units		
				50%	10%			
Cancer								
$LADD_{pot}$	6.05E-05	2.00E-04	mg/kg/day	2.16E-05	7.13E-05	mg/kg/day		
LADC <sub>pot</sub>	3.10E-03	1.02E-02	mg/L	0.26	0.85	mg/kg		
Acute								
$\overline{\mathrm{ADR}_{\mathrm{pot}}}$	2.22E-03	1.19E-02	mg/kg/day	1.69E-03	5.60E-03	mg/kg/day		

SIC Code Comments:

4/13/2011 Page 39 of 42

### INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-11-0268

### SIC CODE EXPOSURES TO SURFACE WATER RELEASES

SCENARIO #: 13 RELEASE ACTIVITY: Use(c): PDM2

SIC CODE DESCRIPTION:

ASSOCIATED SIC CODES:

SIC CODE RESULTS								
COC (μg/L)	Percent of Year COC Exceeded	Number of Days COC Exceeded	Release days/year	Loading (kg/site/day)	Waste Water Treatment (%)	High/Avg Analysis		
10.00						High		

4/13/2011 Page 40 of 42

### INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-11-0268	Assessor: Wong/SS
C.1.0.1.1.0.00	110000001 0118,00

Scenario#:14		Number of Release Site	s: .	
Release Activity:	: Max LADD			
Release Description:				
Total Releases:	0.00	N/A		0.00
	(kg/yr)	(kg/yr)	(kg/yr)	(kg/yr)
Release Days/yr:	0.00	0.00/0.00		0.00
Per Site Release:	0.00	N/A/0.00		0.00
•	(kg/site/day)	(kg/site/day)	(kg/site/day)	(kg/site/day)

4/13/2011 Page 41 of 42

### INITIAL REVIEW EXPOSURE REPORT

Chemical ID: P-11-0268

### INHALATION EXPOSURE ESTIMATES (POST-TREATMENT)

SCENARIO #: 14 RELEASE ACTIVITY:Use(c): Max LADD

RELEASE DESCRIPTION:

METHOD OF CALCULATION: Screen3

EXPOSED POPULATION: Adult

Number of Sites:

Per Site Fugitive Release: NA kg/site/day

Fugitive Release Days per Year: NA days

% Removal via Fugitive Release: 0.00 %

Total Fugitive Release: NA kg/yr

Max Annual Average Air Concentration 0.00 μg/m<sup>3</sup>

(Fugitive):

Max 24 Hour Average Air  $N/A \mu g/m^3$ 

Concentration(Fugitive):

Per Site Stack Release: kg/site/day

Stack Release Days per Year: days

% Removal via Stack Release: 0.00 %

Total Stack Release: kg/yr

Max Annual Average Air Concentration (Stack): μg/m<sup>3</sup>

Max 24 Hour Average Air Concentration (Stack): N/A μg/m<sup>3</sup>

	D 1.	Results (Fugitive)	ASSUMPTIONS				
Exposure Units	Results (Stack)		ED (years)	AT (years)	BW (kg)	Inh. Rate (m³/hr)	
Cancer							
LADD <sub>pot</sub> (mg/kg/day)	4.18E-04	N/A	30.00	75.00	71.80	0.55	
LADC <sub>pot</sub> (mg/m <sup>3</sup> )	2.28E-03	N/A	30.00	75.00	NA	NA	
Acute							
ADR <sub>pot</sub> (mg/kg/day)	N/A	N/A	NA	1 day	71.80	0.55	

**Inhalation Comments:** 

4/13/2011 Page 42 of 42

Stack Parameter Data Fugitive Parameter Data Stack Height 10.00 Release Height: N/A m Inside Stack 0.10 m Length of Release N/A Opening: Diameter: Width of Release Stack Gas Exit 0.10 m/sec N/A Velocity: Opening: Stack Gas 293.00 K Temperature: Meteorological and Terrain Information: Surrounding Land Use: Rural Terrain Height: 0.00 m Distance to Residence of Interest: 100.00 m Meteorological Class: Full Stability Class: NA Wind Speed: NA Downwash Information: Facility Length: NA m Facility Width: NA m

NA m

Facility Height: